

# ONETOP

EXIT SWITCH SERIES





PB39 SERIES



PB86 SERIES



PB95 SERIES



PB03N GREEN



PB03S GREEN



Ingress Protection  
Certification (Option)



LED Indicator

### FEATURE

The PB03N/S and PB39/86/95 are Exit push button change over contacts switch on anodized aluminium mounting plate on vandal proof screw.

### SPECS



IP65



Dimension  
Exit Switch Plate

|             |                      |
|-------------|----------------------|
| PB03N       | L 120 x W 42 x H 6mm |
| PB03S       | L 120 x W 76 x H 6mm |
| PB39 SERIES | L 42 x W 120 x H 6mm |
| PB86 SERIES | L 86 x W 86 x H 6mm  |
| PB95 SERIES | L 95 x W 95 x H 6mm  |

Weight

0.16Kg

Operating Conditions

|             |                          |
|-------------|--------------------------|
| Temperature | -10°C ~ 60°C             |
| Humidity    | 0 ~ 85% (non-condensing) |

Output Signals

|  |   |
|--|---|
| PB39/86/95<br>COM/NO:<br>Max 36VDC; Max 2A                           | PB39/86/95-IP65<br>COM/NO/NC:<br>Max 24VDC; Max 5A                |
| PB39/86/95-LED-B<br>BLUE (Option)<br>COM/NO/NC:<br>Max 12VDC; Max 1A | PB03S/N GREEN<br>GREEN(Option)<br>COM/NO/NC:<br>Max 12VDC; Max 5A |

Surface Finishes

Anodized Aluminum

### MODELS

|                  | LED Indicator | IP65 |
|------------------|---------------|------|
| PB03N GREEN      | •             | •    |
| PB03S GREEN      | •             | •    |
| PB39/86/95       |               |      |
| PB39/86/95-IP65  |               | •    |
| PB39/86/95-LED-B | •             | •    |

