



Outdoor Standing Signage

DG03-B1F43 | DG03-B1F55


Key Features



Weather-Resistant with IP65
Built to perform reliably in outdoor environments



Full HD 1920x1080 Display
Delivers sharp, vibrant, and engaging visuals



Quad-Core Cortex-A55 Processor
Smooth and efficient processing for seamless operation



Powered by Android 11.0
Compatible and easy-to-use operating system

Applications



Restaurant



Station / Bus Stop / Public Space



Mall Entrance



Parking Lot Building

Dimensions

43 inch



55 inch



Specifications

Model	Name	DG03-BIF43	DG03-BIF55
Mainboard	OS	Android 11.0	
	CPU	Quad Core Cortex-A55 2.0GHz	
	Chipset	RK3568	
	RAM	2GB	
	ROM	16GB	
Display	Size	43-inch	55-inch
	Aspect Ratio	16 : 9	
	Display Colors	8bits (16.7M)	
	Resolution	1920 × 1080	
	Contrast	4000:1 (Dynamic)	
	View Angle	178° (H)/178° (V)	
	Brightness	2500cd/m ² (typ.)	
Speaker	Power	8 Ω 10W	
Interface	RJ45	1	
	Earphone	1	
	USB 3.0	1	
	USB OTG	1	
	HDMI OUT	1	
	TF Card	1	
Support Format	Video	wmv/avi/flv/rm/rmvb/mpeg/ts/mp4	
	Audio	MP3/WMA/MP2/WAV	
	Image	BMP/JPEG/PNG/GIF	
Network	Wi-Fi	Support	
	LAN	RJ45	
Power	Volume	AC 100~240V 50/60Hz	
	Max Consumption	300W	400W
Physical Parameters	Product Dimensions	1800×690×300mm (L×H×W)	2000×830×400mm (L×H×W)
General Environment	Operating Temperature	(-10)°C to 50°C	
	Storage Temperature	(-20)°C to 60°C	
	Operating Humidity	5% to 90% RH (Non-condensing)	
	Storage Humidity	5% to 100% RH (Non-condensing)	