



Poster Cabinet

LED poster screen

DG01-A6P18 | DG01-A6P25

LED poster screen is a digital billboard that client can upload their videos and digital content in the simplest way to showcase their core products. Fashionable and simple. It is portable and easy to maintain, Users can place it anywhere.

Key Feature



Simple Operation



Widely Applicable



Easy To Maintain

Applications



Supermarket



Perfume Store



Clothing Store



Restaurant

Specifications

Model	DG01-A6P18	DG01-A6P25
Pixel Pitch	1.8mm	2.5mm
Module Size	320 x 160mm	320 x 160mm
Module Resolution	170 x 85dots	128 x 64dot
LED Configuration	SMD 3 in 1	SMD 3 in1
Module Structure	SMD1515	SMD2121
Display Dimension	480 × 1920mm / 640 × 1920mm	480 × 1920mm / 640 × 1920mm
Cabinet Size	492*2008*450mm / 652*2008*450mm	492*2008*450mm / 652*2008*450mm
Frame Material	Steel	Steel
Frame Color	Black (default)	Black (default)
Weight	34/45kg / unit	34/45kg / unit
Brightness	≥800nit	≥800nit
Viewing Angle	160° H; 140° V	160° H; 140° V
Refresh Rate	3840Hz	3840Hz
Contrast Ratio	3000:1	3000:1
Operation Power	AC110 / 240V, 50-60Hz	AC110 / 240V, 50-60Hz
Max Power	800W / m ²	600W / m ²
Average Power	240W / m ²	180W / m ²
Connection Type	USB Disk / Wi-Fi	USB Disk / Wi-Fi
Supported Media Files	Video / Photo	Video / Photo
Operating Temperature	-10°C~+40°C	-10°C~+40°C
Storage Temperature	-20C~+55C	-20°C~+55°C
Operating Humidity	10-65% RH. No Condensation	10-65% RH. No Condensation
Storage Humidity	10-90% RH. No Condensation	10-90% RH. No Condensation
Operating Lifetime	100.000 Hours	100.000 Hours